Author index

ABRAHAMSSON, T. (see CARLSSON, L.)

AGNATI, L. F. (see CIMINO, M.)

AGNATI, L. F. (see Fuxe, K.)

AGNATI, L. F. (see HÄRFSTRAND, A.)

ALMGREN, O. (see CARLSSON, L.)

AL-SAFFAR, A. (see THOLLANDER, M.) ANDÉN, N.-E. (see HANSELL, P.)

Andersson, G. & Jennische, E. Lack of causal relationship between medullary blood congestion and tubular necrosis in postischaemic kidney damage, 429

ANDERSSON, K.-E. (see BATRA, S.)

ANDERSSON, K.-E. (see Sjöberg, T.)

ANDERSSON, K. (see FUXE, K.)

ANDERSSON, K. (see HÄRFSTRAND, A.)

ANDERSSON, S. A. (see SJÖSTRÖM, A.)

APERIA, A. (see BERTORELLO, A.)

APERIA, A. (see SERI, I.)

ARNER, M. & HÖGESTÄTT, E. D. Actions of some vasodilators on isolated human hand veins, 671

ARVIDSSON, I. (see WROBLEWSKI, R.)

ASKING, B. & GJÖRSTRUP, P. Synthesis and secretion of amylase in the rat parotid gland following autonomic nerve stimulation in vivo. 439

ASTRUP, A. (see BÜLOW, J.)

BACH, F. W. (see FARRELL, P. A.)

BÁRÁNY, E. Negative feedback regulation of intracellular Ca²⁺ and the slope of the dose-response curve, 77

BATRA, S., SJÖGREN, C., ANDERSSON, K.-E. & FOVAEUS, M. Source of calcium for contractions induced by depolarization and muscarinic receptor stimulation in rabbit urinary bladder, 545

BAYATI, A., HELLBERG, O., ODLIND, B. & WOLGAST, M. Prevention of ischaemic acute renal failure with superoxide dismutase and sucrose, 367

BENFENATI, F. (see CIMINO, M.)

Berg-Johnsen, J. & Langmoen, I. A. Isoflurane hyperpolarizes neurones in rat and human cerebral cortex, 679

Bertorello, A. & Aperia, A. Effect of L-DOPA, dopamine, dihydroxyphenol acetic acid and homovanillic acid on Na,K-ATPase activity in rat proximal tubule segments, 571

BILL, A. (see HILLERDAL, M.)

BJÖRK, J. (see DAHLÉN, S.-E.)

BJØRO, T., WIIK, P., OPSTAD, P. K., GAUTVIK, K. M. & HAUG, E. Binding and degradation of vasoactive intestinal peptide in prolactin-producing cultured rat pituitary tumour cells (GH₄C₁), 609

Bråtveit, M., Rydningen, H. & Helle, K. B. Comparison of atriopeptins II and III, VIP and β_2 -

adrenoceptor-evoked relaxations of the two layers of smooth muscle in the rat portal vein, 593

BRÄNNSTRÖM, M., JOHANSSON, B. M., SOGN, J. & JANSON, P. O. Characterization of an in vitro perfused rat ovary model: ovulation rate, oocyte maturation, steroidogenesis and influence of PMSG priming, 107

Breese, G. R. (see HEDNER, J.)

BRUNSSON, I., SJÖQVIST, A., JODAL, M. & LUNDGREN, O. Mechanisms underlying the small intestinal fluid secretion caused by arachidonic acid, prostaglandin E₁ and prostaglandin E₂ in the rat in vivo, 633

Buanes, T., Grotmol, T., Landsverk, Y. & Ræder, M. G. Localization of K-NPPase and Li* secretion in the exocrine pancreas of the pig, 457

BUANES, T. (see GROTMOL, T.)

BUGGE, J. E., VIKSE, A., DAHL, E. & KIIL, F. Renal degradation and distribution between urinary and venous output of prostaglandins E₂ and I₂, 467

BÜLOW, J., ASTRUP, A., CHRISTENSEN, N. J. & KASTRUP, J. Blood flow in skin, subcutaneous adipose tissue and skeletal muscle in the forearm of normal man during an oral glucose load, 657

BURHOL, P. G. (see FLORHOMEN, J.) BURNSTOCK, G. (see DELBRO, D.)

CANTOR, P., HOLST, J. J., KNUHTSEN, S. & REHFELD, J. F. Effect of neuroactive agents on cholecystokinin release from the isolated, perfused porcine duodenum. 627

CARLSSON, L., ABRAHAMSSON, T., ALMGREN, O. & SVENSSON, L. Ischaemia-induced release of noradrenaline and creatine kinase in the isolated, working rat heart, 83

CATTABENI, F. (see CIMINO, M.)

CHRISTENSEN, N. J. (see BÜLOW, J.)

CIMINO, M., BENFENATI, F., FARABEGOLI, C., CATTA-BENI, F., FUXE, K., AGNATI, L. F. & TOFFANO, G. Differential effect of ganglioside GM1 on rat brain phosphoproteins: potentiation and inhibition of protein phosphorylation regulated by calcium/ calmodulin and calcium/phospholipid-dependent protein kinases, 317

CONRADI, N. G. (see SJÖSTRÖM, A.)

Dagbjartsson, A., Kjellmer, I. & Rosén, K. G. Acute blockade of β_1 -receptors in the asphyxiated sheep fetus, 381

DAHL, E. (see BUGGE, J. F.)

DAHLÉN, S.-E., RAUD, J., SERHAN, C. N., BJÖRK, J. & SAMUELSSON, B. Biological activities of Lipoxin A

include lung strip contraction and dilation of arterioles in vivo, 643

DALSGAARD, C.-J. (see HAEGERSTRAND, A.)

DAMBER, J.-E. (see GåFVELS, M.)

Delbro, D. Substance P-induced tachycardia in the anaesthetized rat, 41

Delbro, D. & Burnstock, G. Depressor and pressor actions of purine nucleosides and nucleotides in the anaesthetized rat, 373

DELLE, M. & THORÉN, P. Changes in sympathetic nerve activity during morphine abstinence in the rat, 47

DELLE, M. (see SELLDÉN, H.)

Døving, K. B. Response properties of neurones in the rat olfactory bulb to various parameters of odour stimulation, 285

EDLUND, A. (see KATZ, A.) EDWALL, B. (see GAZELIUS, B.) EHMKE, H. (see PERSSON, P.) EKBLOM, B. (see SJÖSTRÖM, M.)

EKLÖF, A. C. (see Seri, I.)

ELAM, M., SVENSSON, T. H. & THORÉN, P. Brain monoamine metabolism is altered in rats following spontaneous, long-distance running, 313

EMÅS, S. (see FERNSTRÖM, M.)

ENGSTRÖM, K. G. & TÄLJEDAL, I.-B. Altered shape and size of red blood cells in obese hyperglycaemic mice, 535

ERIKSSON, E. (see WROBLEWSKI, R.)

ERIKSSON, L. (see OLSSON, K.)

ERIKSSON, S., SIMON-OPPERMAN, CH., SIMON, E. & GRAY, D. A. Interaction of changes in the third ventricular CSF tonicity, central and systemic AVP concentrations and water intake, 575

ERIKSSON, U. (see THOLLANDER, M.) VON EULER, G. (see FUXE, K.)

Fagerlund, M. (see Johansson, C.) Fahrenkrug, J. (see Sjöqvist, A.)

FALK, A. (see SCHÜTZER, K.-M.)
FÄNDRIKS, L. & JÖNSON, C. Effects of adrenoceptor antagonists on vagally induced gastric and duodenal HCO₃ secretions in the cat, 243

FÄNDRIKS, L., JÖNSON, C. & NYLANDER, O. Effects of splanchnic nerve stimulation and of clonidine on gastric and duodenal HCO₃ secretion in the anaesthetized cat, 251

FÄNDRIKS, L. (see JÖNSON, C.) FARABEGOLI, C. (see CIMINO, M.)

FARRELL, P. A., KJAER, M., BACH, F. W. & GALBO, H. Beta-endorphin and adrenocorticotropin response to supramaximal treadmill exercise in trained and untrained males, 619

FASCHING, A. (see HANSELL, P.)

FERNSTRÖM, M., UVNÄS-MOBERG, K. & EMÅS, S. Antrum participates in the postprandial augmentation of the acid response to exogenous gastrin in conscious cats, 265

FISCHER, J. A. (see GAZELIUS, B.)

FLORHOLMEN, J., VONEN, B., GLÆVER, A. K. & BUR-HOL, P. G. The effect of secretin on the glucoseinduced insulin release from isolated pancreatic islets in mice, 237

FORSLID, A. Transient neocortical, hippocampal and amygdaloid EEG silence induced by one minute inhalation of high concentration CO₂ in swine, I

FOVAEUS, M. (see BATRA, S.)

Fredholm, B. B. & Lindgren, E. Effects of Nethylmaleimide and forskolin on noradrenaline release from rat hippocampal slices. Evidence that prejunctional adenosine and α-receptors are linked to N-proteins but not to adenylate cyclase, 95

FRIDÉN, J. (see SJÖSTRÖM, M.) FUGL-MEYER, A. R. (see GERDLE, B.)

FUGL-MEYER, A. R. (see JOHANSSON, C.)

Fuxe, K., Martire, M., von Euler, G., Agnati, L. F., Hansson, T., Andersson, K., Gustafsson, J.-Å. & Härfstrand, A. Effects of subacute treatment with toluene on cerebrocortical α - and β -adrenergic receptors in the rat. Evidence for an increased number and a reduced affinity of β -adrenergic receptors, 307

FUXE, K. (see CIMINO, M.) FUXE, K. (see HÄRFSTRAND, A.)

GÅFVELS, M., SELSTAM, G. & DAMBER, J.-E. Influence of oxygen tension and substrates on basal and luteinizing hormone stimulated progesterone production and energy metabolism by isolated corpora lutea of adult pseudopregnant rats, 475

Gåfvels, M. (see Selstam, G.) Galbo, H. (see Farrell, P. A.) Gautvik, K. M. (see Bjøro, T.) Gautvik, K. M. (see Sletholt, K.)

GAZELIUS, B., EDWALL, B., OLGART, L., LUNDBERG, J. M., HÖKFELT, T. & FISCHER, J. A. Vasodilatory effects and coexistence of calcitonin gene-related peptide (CGRP) and substance P in sensory nerves of cat dental pulp, 33

GAZELIUS, B. (see MARTLING, C.-R.)

GERDLE, B., HEDBERG, R., JONSSON, B. & FUGL-MEYER, A. R. Mean power frequency and integrated electromyogram of repeated isokinetic plantar flexions, 501

Gerdle, B. & Långström, M. Repeated isokinetic plantar flexions at different angular velocities, 495

GIÆVER, A. K. (see FLORHOLMEN, J.)

GJÖRSTRUP, P. (see ASKING, P.) GORDELADZE, J. (see SLETHOLT, K.)

GRAY, D. A. (see Eriksson, S.)

GROTMOL, T., BUANES, T. & RÆDER, M. G. The effect of amiloride on biliary HCO₃ secretion in the anaesthetized pig, 447

GROTMOL, T. (see BUANES, T.) GUSTAFSSON, J.-Å. (see FUXE, K.)

HAEGERSTRAND, A., DALSGAARD, C.-J. & JONSSON,

C.-E. Effects of capsaicin pretreatment on the inflammatory response to scalding injury in the rat, 345

HÄGGBLAD, J. (see RYDQVIST, B.)

HAGLUND, U. (see SCHÜTZER, K.-M.)

HAKUMÄKI, M. O. K. Seventy years of the Bainbridge reflex, 177

Hämäläinen, M. M. & Mäkinen, K. K. Adrenal function of the rat in relation to peroral administration of xylitol: depression of aldosterone, 687

HANSELL, P., FASCHING, A., SJÖQUIST, M., ANDÉN, N.-E. & ULFENDAHL, H. R. The dopamine receptor antagonist haloperidol blocks natriuretic but not hypotensive effects of the atrial natriuretic factor, 401

HANSELL, P. & ULFENDAHL, H. R. Effects of atrial natriuretic peptide (ANP) during converting

enzyme inhibition, 393

HANSSON, G. (see KARLSTRÖM, L.)

HANSSON, H.-A. (see JENNISCHE, E.)

HANSSON, T. (see FUXE, K.)

HARALDSSON, B. & RIPPE, B. Influence of perfusate oncotic pressure on the transcapillary clearance of albumin in maximally vasodilated rat skeletal muscle, 219

HÄRFSTRAND, A. & FUXE, K. Simultaneous central administration of adrenaline and neuropeptide Y leads to antagonistic interactions in vasodepressor responses in awake male rats, 529

HÄRFSTRAND, A., FUXE, K., ANDERSSON, K., AGNATI, L., JANSON, A. M. & NORDBERG, A. Partial dimesencephalic hemitransections produce disappearance of [3H]nicotine binding in discrete regions of rat brain, 161

HÄRFSTRAND, A. (see FUXE, K.)

HAUG, E. (see Bjøro, T.)

HAUG, E. (see SLETHOLT, K.)

HEDBERG, R. (see GERDLE, B.)

HEDNER, J., McCown, T. J., Mueller, R. A., HEDNER, T., JONASON, J. & BREESE, G. R. Respiratory stimulant effects by TRH into the mesencephalic region in the rat, 60

HEDNER, T. (see HEDNER, J.)

HEILBRONN, E. (see RYDQVIST, B.)

HELLBERG, O. (see BAYATI, A.)

HELLE, K. B. (see Bratveit, M.) HELLE, K. B. (see RYDNINGEN, H. T.)

HELLSTRÖM, P. M. (see THOLLANDER, M.)

HENNIG, R. Late reinnervation of the rat soleus muscle is differentially suppressed by chronic stimulation and by ectopic innervation, 153

HENNIG, R. Section of fibular nerve affects activity pattern and contractile properties of soleus motor

units in adult rats, 143

HENNIG, R. & LØMO, T. Effects of chronic stimulation on the size and speed of long-term denervated and innervated rat fast and slow skeletal muscles,

HENNIG, R. & LØMO, T. Gradation of force output in

normal fast and slow muscles of the rat,

HILLERDAL, M., SPERBER, G. O. & BILL, A. The microsphere method for measuring low blood flows: theory and computer simulations applied to findings in the rat cochlea, 220

HÖGESTÄTT, E. D. (see ARNER, M.)

HÖKFELT, T. (see GAZELIUS, B.)

HOLST, J. J. (see CANTOR, P.)

HOLTER, P. H., KIERULF, P. & REFSUM, H. E. Haemoglobin O, binding in newborn and adult rabbits,

IVERSEN, B. M. (see OFSTAD, J.)

JANSON, A. M. (see HÄRFSTRAND, A.)

IANSON, P. O. (see BRÄNNSTRÖM, M.)

JANSSON, E. (see WROBLEWSKI, R.)

JENNISCHE, E. (see ANDERSSON, G.)

JENNISCHE, E. & HANSSON, H.-A. Regenerating skeletal muscle cells express insulin-like growth factor I,

JENSEN, L. S., JUHL, C. O. & MULVANY, M. J. Mechanical, morphological and pharmacological properties of oesophageal varices and small mesenteric veins in portal hypertensive rabbits, 649

JIANG, M.-S. (see RYDQVIST, B.)

JODAL, M. (see BRUNSSON, I.)

JODAL, M. (see KARLSTRÖM, L.) JOHANSSON, B. M. (see BRÄNNSTRÖM, M.)

JOHANSSON, C., LORENTZON, R., SIÖSTROM, M., FARGERLUND, M. & FUGL-MEYER, A. R. Sprinters and marathon runners. Does isokinetic knee extensor performance reflect muscle size and structure?, 663

JONASON, J. (see HEDNER, J.)

JÓNASSON, H. Miosis and plasma prostaglandin E metabolites during endotoxin fever, 11

JÖNSON, C. & FÄNDRIKS, L. Bleeding-induced decrease in duodenal HCO3 secretion in the rat is mediated via α₉-adrenoceptors, 387

JÖNSON, C. & FÄNDRIKS, L. Bleeding inhibits vagally induced duodenal HCO3 secretion via activation of the splanchnic nerves in anaesthetized rats, 259

JÖNSON, C. (see FÄNDRIKS, L.)

JONSSON, B. (see GERDLE, B.)

JONSSON, C.-E. (see HAEGERSTRAND, A.)

JUHL, C. O. (see JENSEN, L. S.)

KARLBERG, B. E. (see OLSSON, K.)

KARLSTRÖM, L., HANSSON, G., JODAL, M. & LUND-GREN, O. Influence of sodium deoxycholate on morphology, net fluid transport and motility in the small intestine of the rat, 273

KASTRUP, J. (see BÜLOW, J.)

KATZ, A., EDLUND, A. & SAHLIN, K. NADH content and lactate production in the perfused rabbit heart,

KHAN, A. R. (see WOHLFART, B.)
KIERULF, P. (see HOLTER, P. H.)
KIIL, F. (see BUGGE, J. F.)
KIRCHHEIM, H. (see PERSSON, P.)
KJAER, M. (see FARRELL, P. A.)
KJELLMER, I. (see DAGBJARTSSON, A.)
KNUHTSEN, S. (see CANTOR, P.)

Landsverk, T. (see Buanes, T.)
Langmoen, I. A. (see Berg-Johnsen, J.)
Längström, M. (see Gerdle, B.)
Lännergren, J. (see Westerblad, H.)
Lindgren, E. (see Fredholm, B. B.)
Lømo, T. (see Hennig, R.)
Lorentzon, R. (see Johansson, C.)
Lundberg, J. M. (see Gazelius, B.)
Lundberg, J. M. (see Martling, C.-R.)
Lundgren, O. (see Brunsson, I.)
Lundgren, O. (see Karlström, L.)

Mørkrid, L. (see Ofstad, J.)

MUELLER, R. A. (see HEDNER, J.)

MULVANY, M. J. (see JENSEN, L. S.)

MÄKINEN, K. K. (see HÄMÄLÄINEN, M. M.)

MAMATAS, S. C. & OJA, S. S. The accumulation of 2aminoisobutyric acid in the costal and lumbar parts
of the phrenectomized rat diaphragm in vitro, 201

MARTIRG, M. (see FUXE, K.)

MARTLING, C.-R., GAZELIUS, B. & LUNDBERG, J. M.

Nervous control of tracheal blood flow in the cat
measured by the laser Doppler technique, 409

McCown, T. J. (see Hedner, J.)

NIELSEN, R. Ca²⁺ as regulator of transepithelial K⁺ secretion in isolated frog skin, 723 NORDBERG, A. (see HÄRFSTRAND, A.) NORGREN, L. (see SJÖBERG, T.) NYLANDER, O. (see FÄNDRIKS, L.)

ODLIND, B. (see BAYATI, A.)
OFSTAD, J., IVERSEN, B. M., MØRKRID, L. & SEKSE, I.
Autoregulation of renal blood flow (RBF) with and
without participation of afferent arterioles, 25
OJA, S. S. (see MAMATAS, S. C.)

OLESEN, S.-P. Leakiness of rat brain microvessels to fluorescent probes following craniotomy, 63

OLGART, L. (see GAZELIUS, B.)
OLSSON, K. & ERIKSSON, L. Renal and hormonal responses to atrial natriuretic peptide infusions in goats on high and low sodium intake, 585

 OLSSON, K. & KARLBERG, B. E. Effects of ANP during hypotensive haemorrhage in pregnant goats, 169
 OMLAND, T. (see RYDNINGEN, H. T.)
 OPSTAD, P. K. (see Bjøro, T.)

OPSTAD, P. K. (see RYDNINGEN, H. T.)
OTTOSON, D. (see RYDQVIST, B.)

Persson, P., EHMKE, H., KIRCHHEIM, H. & SELLER, H. The influence of cardiopulmonary receptors on

long-term blood pressure control and plasma renin activity in conscious dogs, 553

RÆDER, M. G. (see BUANES, T.)
RÆDER, M. G. (see GROTMOL, T.)
RÄMÖ, P. Anabolic steroids alter the haemodynamic responses of the canine left ventricle, 209
RAUD, J. (see DAHLEN, S.-E.)
REFSUM, H. E. (see HOLTER, P. H.)
REHFELD, J. F. (see CANTOR, P.)
RICKSTEN, S.-E. (see SELLDÉN, H.)
RIPPE, B. (see HARALDSSON, B.)
ROSÉN, K. G. (see DAGBJARTSSON, A.)

RYDNINGEN, H. T., OMLAND, T., OPSTAD, P. K. & HELLE, K. B. Comparison of VIP and β_2 -adrenoceptor-induced relaxations in the circular and longitudinal smooth muscle layers of the rat portal vein, 601

RYDNINGEN, H. T. (see Bråtveit, M.)

RYDQVIST, B., ZHOU, J.-Y., OTTOSON, D., JIANG, M.-S., HEILBRONN, E. & HÄGGBLAD, J. Effects of a toxic phospholipase A₂ (AgTx) from the venom of the Pit viper (Agkistrodon halys (Pallas)) on the crayfish stretch receptor neuron, 299

SAHLIN, K. (see KATZ, A.) SAMUELSSON, B. (see DAHLÉN, S.-E.) SAND, O. (see SLETHOLT, K.)

SCHÜTZER, K.-M., HAGLUND, U. & FALK, A. The role of prostanoids in the feline intestinal vascular and central haemodynamic responses to i.v. infusion of live *E. coli*, 359

SEKSE, I. (see Ofstad, J.)

SELLDÉN, H., DELLE, M., SJÖVALL, H. & RICKSTEN, S.-E. Reflex changes in sympathetic nerve activity during mechanical ventilation with PEEP in sinoaortic denervated rats, 15

SELLER, H. (see Persson, P.)
SELSTAM, G. & GÅFVELS, M. Oxyger

Selstam, G. & Gåfvels, M. Oxygen dependency of preovulatory follicles from pregnant mare serum gonadotropin-treated immature rats, 483

SELSTAM, G. (see GåFVELS, M.) SERHAN, C. N. (see DAHLÉN, S.-E.)

SERI, I., EKLÖF, A. C. & APERIA, A. Role of dopamine₂-receptors in mediating renal vascular response to low dose dopamine infusion in the rat, 563

SIMON, E. (see ERIKSSON, S.)

SIMON-OPPERMAN, CH. (see Eriksson, S.)

SJÖBERG, T., ANDERSSON, K.-E., NORGREN, L. & STEEN, S. Comparative effects of some calcium-channel blockers on human peripheral arteries and veins, 419

SJÖGREN, C. (see BATRA, S.) SJÖQUIST, M. (see HANSELL, P.)

SJÖQVIST, A. & FAHRENKRUG, J. Release of vasoactive intestinal polypeptide anally of a local distension of the feline small intestine, 433

SJÖQVIST, A. (see BRUNSSON, I.)

SJÖSTRÖM, A. & CONRADI, N. G. Functional development of the visual system in normal and proteindeprived rats. VI. Evoked responses in adult rats, protein deprived in early life and nutritionally rehabilitated from weaning, 713

SJÖSTRÖM, A., CONRADI, N. G. & ANDERSSON, S. A. Functional development of the visual system in normal and protein-deprived rats. V. Specific cortical response and repetitive stimulation in adult

rats, 705

SJÖSTRÖM, A., CONRADI, N. G. & ANDERSSON, S. A. Functional development of the visual system in normal and protein-deprived rats. IV. Latencies in the specific visual pathway of adult rats, 695

SJÖSTRÖM, M., FRIDÉN, J. & EKBLOM, B. Endurance, what is it? Muscle morphology after an extremely long distance run, 513

SJÖSTRÖM, M. (see JOHANSSON, C.)

SJÖVALL, H. (see SELLDÉN, H.)

SLETHOLT, K., HAUG, E., GORDELADZE, J., SAND, O. & GAUTVIK, K. M. Effects of calmodulin antagonists on hormone release and cyclic AMP levels in GH₃ pituitary cells, 333

SOGN, J. (see Brännström, M.) Sperber, G. O. (see Hillerdal, M.)

STÅHLE, L. & UNGERSTEDT, U. Reduction of extracellular dopamine levels can be dissociated from suppression of exploratory behaviour in rats, 533

STEEN, S. (see SJÖBERG, T.)

STOCK, S. & UVNÄS-MOBERG, K. L-vasopressin inhibits oxytocin-induced increases of plasma levels of insulin in conscious dogs, 55

SVENSSON, L. (see CARLSSON, L.) SVENSSON, T. H. (see ELAM, M.)

SVENSSON, T. H. (see THOLLANDER, M.)

Täljedal, I.-B. (see Engström, K. G.)

THOLLANDER, M., ERIKSSON, U., HELLSTRÖM, P. M., AL-SAFFAR, A. & SVENSSON, T. H. Alpha₂-adrenoceptor agonists inhibit the migrating myoelectric complexes of the small intestine in rats, 165

THORÉN, P. (see DELLE, M.) THORÉN, P. (see ELAM, M.)

TOFFANO, G. (see Cimino, M.)

ULFENDAHL, H. R. (see HANSELL, P.)
ULFENDAHL, M. Motility in auditory sensory cells,

UNGERSTEDT, U. (see STAHLE, L.)

UVNÄS-MOBERG, K. (see FERNSTRÖM, M.)

UVNÄS-MOBERG, K. (see STOCK, S.)

VISKE, A. (see BUGGE, J. F.)

VONEN, B. (see FLORHOLMEN, J.)

WESTERBLAD, H. & LÄNNERGREN, J. Tension restoration with caffeine in fatigued Xenopus muscle fibres of various types, 357

WIESENFELD-HALLIN, Z. Intrathecal noradrenaline has a dose-dependent inhibitory or facilitatory effect on the flexion reflex in the rat, 507

WIIK, P. (see Bjøro, T.)

WOHLFART, B. & KHAN, A. R. Analysis of the inotropic effect of prenalterol in papillary muscles from guinea-pig hearts, 187

WOLGAST, M. (see BAYATI, A.)

WROBLEWSKI, R., ARVIDSSON, I., ERIKSSON, E. & JANSSON, E. Changes in elemental composition of human muscle fibres following surgery and immobilization. An X-ray microanalytical study, 491

ZHOU, J.-Y. (see RYDQVIST, B.)

Subject index

Acid secretion, 243, 251 Action potential, 187 Adaptation, 285 Adenosine, 373 Adenosine receptor, 95 Adenosine-5'-triphosphate, 373 Adrenal glands, 259 Adrenal hyperplasia, 687 Adrenergic mechanisms, 243, 251 Adrenergic nerves, 387 β -, α_1 - and α_2 -adrenergic receptors, 307 α,-adrenoceptor agonists, 165 β-adrenoceptor blockade, 381 a,-adrenoceptors, 419 a-adrenoceptors, 419 Adrenocorticotropin, 619 Afferent nerves, 41 Agkistrodon toxin, 299 Aldosterone, 585, 687 Alkali denaturation, 349 Alkaline secretion, 243, 251 Amino acids, 201 Amylase, 439 Anaesthesia, 1, 679 Analgesia, 507 ANF, 393 Angiotensin II, 393 Anoxia, 193 ANP, 401 Antidromic vasodilation, 400 Antrectomy, 265 Apamin, 601 Arachidonic acid, 63, 467, 633 Arteries, 419 Atrial natriuretic peptide, 169, 393, 585 Atrial peptides, 593 Atriopeptins, 593 Atrophy, 115 Atropine, 273, 633 Autonomic nerve, 439 Autonomic nervous system, 243, 251 Autoregulation, 25 Axon reflex, 41

Baroreceptors, 553
Beta-endorphin, 619
Bicarbonate secretion, 259, 387, 447
Bile salt, 273
Blood-brain barrier, 63
Blood flow, 33
Blood loss, 259, 387
Blood pressure, 177
Brain monoamines, 313

Burn, 345

D-600, 545

Delayed reinnervation, 153

Descending inhibition, 433

Denervation, 115, 201

Diabetes mellitus, 535

Dental pulp, 33

Diffusion, 457

Ca2+, 333, 723 Calcitonin gene-related peptide (CGRP), 33, 409 Calcium-dependent protein kinases, 317 Calcium influx, 545 Calcium metabolism, 187 Calmodulin, 333 Canalicular secretion, 447 Capillary permeability, 219 Capsaicin, 345, 409 Captopril, 393 Carbachol, 545 Carbon dioxide, 1 Cardiac catheterization, 209 Cardiac output, 177 Cardiac reflexes, 41 Cardiopulmonary afferents, 553 Cardiovascular and metabolic reactions, 381 Cardiovascular reflexes, 15 Ca regulation, 77 Catecholamines, 41, 387, 571, 687 Cationized ferritin, 521 Cell injury, 327, 429 Cell motility, 521 Chlorine, 491 Cholecystokinin cell, 627 Circulation, 373 Clonidine, 165 Cochlea, 521 Computer simulation, 229 Contractility, 187, 209 Contraction, 357, 513, 545 Contraction speed, 115 Converting enzyme inhibition, 393 Coronary blood flow, 193 Corpus luteum, 475 Corticosteroids, 687 Crayfish, 299 Creatine kinase, 83 Cross-bridges, 357 Cross-innervation, 153 CSF vasopressin, 575 Cyclic 3',5'-adenosine monophosphate, 633 Cyclic AMP, 95, 333

Diltiazem, 419
2,3,-diphosphoglycerate, 349
Direct muscle stimulation, 153
Dog, 209
DOPA decarboxylase, 571
Dopamine, 401, 563, 571
Dopamine, 2-agonist, 563
Dopamine metabolites, 571
Dorsal horn, 507
Dose-response curve, 77
Ductular secretion, 447
Duodenal exclusion, 265
Duodenum, 259, 387

EC coupling, 187 EEG, 1 Electrogenic coupling, 457 Electrolytes, 491 Electromyography, 495, 501, 663 Electrophysiology, 285 Endogenous phosphorylation, 317 Endotoxin fever, 11 Endurance, 495, 513 Enteric nervous system, 273, 633 Enzyme cytochemistry, 513, 663 Erythrocyte acid-base, 349 Erythrocyte deformability, 535 Erythrocyte metabolism, 349 Excitation-contraction coupling, 357 Experimental septic shock, 359

Fatigue, 495, 501
Feeding, 265
Fetal asphyxia, 381
FITC-albumin, 63
Flexion reflex, 507
Flunarizine, 419
Fluorescein, 63
Follicular rupture, 107
Forearm blood flow, 657
Forskolin, 95
Frog skin, 723
Frontoparietal cortex, 307

Gastric acid, 265
Gastrin, 265
Gastrin, 265
Gastrin-releasing peptide, 627
GH₃ pituitary cells, 333
Glomerular filtration rate, 393, 401, 585
Glucose, 457, 657
GM1 ganglioside, 317
Goat, 11
Gonadotrophin, 107
GRF, 609
Guinea-pig ileum, 643
Guinea-pig lung strip, 643
Guinea-pig trachea, 643
Gut-brain peptides, 627

Haemodilution, 429 Haemoglobin O, affinity, 349 Haemoglobin variants, 349 Haemorrhage, 169 Hair cells, 521 Haloperidol, 401 p-[3H]aminoclonidine, 307 Hamster cheek pouch, 643 [3H]dihydroalprenolol, 307 Heart, 187 Heart rate, 177, 553 Hemitransection, 161 Heteroporosity, 219 Hexamethonium, 273, 633 High energy phosphates, 193 Hippocampus, 1, 679 Histamine, 63, 273 Histochemical transformation, 143 Histochemistry, 457 Hormone release, 333, 627 Human, 419, 495, 501 Human hand veins, 671 [3H]WB 4101, 307 15-Hydroperoxyeicosatetraenoic acid, 643 Hyperkalaemia, 193 Hyperosmolality, 575 Hypertension, 553 Hypoxia, 193

Impulse pattern, 143 Inactivity, 491 Indomethacin, 467, 633 Inflammation, 643 Infusion, 177 Inhalation, 679 Insulin, 237 Insulin-like growth factor I, 327 Interlobular artery, 25 Intestinal blood flow, 433, 563 Intestinal fluid transport, 273, 633 Intestinal morphology, 273 Intrathecal, 507 In vitro, 107 Ion channels, 679 Ischaemia, 83, 429 Isoelectric focusing, 349 Isoflurane, 679 Isokinetic, 495, 501 Isolated working rat heart, 83 Isoproterenol, 601

6-keto-PGF_{1a}, 467 Kidney, 367, 393, 401, 429 K⁺ secretion, 723

Laser Doppler flowmetry, 657 L-DOPA, 571 Length-tension relationship, 649 LH, 475 LH response, 483 Lidocaine, 633, 671 Lidoflazine, 419 Lipoxygenase products, 643 Longitudinal and circular preparations, 593 Long-term blood pressure, 553 Low blood flow, 229

Macromolecular transport, 219 Malnutrition, 605 Man, 657 Marathon running, 513 Mean power frequency, 501 Membrane permeability, 679 Membrane potentials, 679 Mesenteric veins, 649 Methylene blue, 593 Methyl ethers, 679 Micropuncture, 367 Microsphere method, 229 Miosis, 11 Mitral cell, 285 Mesangium, 25 Method, 107 MMC, 165 Monoamines, 507 Morphine abstinence, 47 Morphology, 649 Motoneurone, 143 Motor unit firing pattern, 133 Motor units, 133 Mucosal protection, 259, 387 Mucosa protection, 243, 251 Muscle, 201 Muscle activity, 115 Muscle contraction, 143, 193, 663 Muscle fibre, 513 Muscle force gradation, 133 Muscles, 327 Muscle stimulation, 115 Myenteric plexus, 433 Myocardium, 187

NAD, 193
NaHCO₃ secretion, 457
Na⁺/H⁺ ion exchanger, 447
Na,K-ATPase, 457, 571
Naloxone, 47
Natriuresis, 393, 401, 585
Negative feedback, 77
Neocortex, 1
Neurogenic inflammation, 345
Neurotrophic control, 115
Newborn rabbits, 349
Nicotine, 161
Nifedipine, 419
Nimodipine, 671

Nitroprusside, 671 Nociception, 507 Non-cholinergic vasodilation, 409 Noradrenaline, 83, 419, 507 Nordihydroguaiaretic acid, 633 Normal man, 535 Nutritional rehabilitation, 713

Obese hyperglycaemic mice, 535 Odour responses, 285 Oesophageal varices, 649 Olfactometer, 285 Olfactory bulb, 285 Opiate receptors, 47 Ovarian follicle, 107 Oxygen dependency, 483 Oxygen uptake, 193 Oxymetazoline, 165 Oxytocin, 55

Pancreatic islets, 237 Papaverine, 671 Parotid gland, 439 PEEP, 15 Pentagastrin, 265 Pepsin, 265 Percoll, 237 Perfusion, 107 Peristaltic reflex, 433 Permeability, 63, 367 PGE₂, 467 PGI., 467 pH, 457 Pharmacology, 649 PHI, 600 Phosphocreatine, 193 Phospholipase A2, 299 Physical training, 513 Physiology, 695, 705, 713 Pig, 457 Plantar flexion, 495, 501 Plasma glucagon, 55 Plasma glucose, 55 Plasma insulin, 55 Plasma PGE, 11 Plasma renin activity, 553, 585 Plasma vasopressin, 575 Plasma volume, 553 Polyols, 687 Portal-systemic shunting, 649 Portal vein stenosis, 649 Potassium, 491 Potentiation, 265 Pregnancy, 169 Preovulatory follicles, 483 Pressoreceptors, 177 Primary sensory neurons, 345 PRL, 600

Progesterone, 483
Progesterone production, 475
Prostaglandins E₁ and E₂, 633
Prostanoids, 359
Protein deprivation, 705, 713
Protein substrates, 317
Proton pump, 457
Purinergic, 373
Pyrilamine, 273
Pyruvate kinase isoenzymes, 349

Rabbits, 649
Ramp stimulation, 285
Rat, 285, 307, 345, 367, 429, 439, 695, 705, 713
Rat brain, 161
Rat cerebral cortex, 317
Rat cochlea, 229
Rats, 47, 313 β_1 -receptor, 381
Receptors, 161
Red blood cells, 535
Red-cell trapping, 367
Regeneration, 327
Renal blood flow, 563
Renal prostaglandin synthesis, 467
Repiratory regulation, 69

Salbutamol, 601 Secretin, 237, 447 Sensory nerves, 33 Sheep, 11 Signal transduction, 95 Sino-aortic denervation, 15 Skeletal muscle, 115, 133, 491, 501 Skin blood flow, 657 Small intestine, 359 Smooth muscle, 545 Smooth muscle contraction, 643 Snake venom, 327 SOD, 367 Sodium, 491 Sodium intake, 585 Solvent drag, 457 Somatomedin C, 327 Somatostatin, 265 Spinal cord, 507 Splanchnic nerves, 243, 259 Spontaneous exercise, 313 Strain gauge plethysmography, 657 Stretching, 201

Reticular activating system, 69

Stretch receptor, 299
Stroke volume, 177
Subcutaneous blood flow, 657
Substance P (SP), 33
Substrate dependency, 475
Sugar alcohols, 687
Swine, 1
Sympathetic, 251
Sympathetic nerve activity, 15, 47
Sympathetic nervous system, 259, 387
Synapse formation, 153
Synthesis, 439

Taurocholic acid, 447
Terbutaline, 273
Theophylline, 237
Third ventricle, 575
Thirst, 575
Tissue accumulation, 219
Toluene, 307
Tracheal blood flow, 409
Training response, 619
Transmitter release, 95
Transport, 201
TRH, 69
Tubuloglomerular feedback, 25
Two-pore model, 219

Urinary bladder, 545 Ursodeoxycholic acid, 447

Vagal nerve, 409 Vagal nerves, 243, 251, 259 Vagotomy, 15 Vascular inhibitory receptors, 593, 601 Vascular response, 359 Vasodilation, 643 Vasopressin, 55, 169 Vasospasm, 671 Veins, 419 Ventral horn, 507 Verapamil, 419 VIP, 433, 593, 601 VIP degradation, 609 VIP receptors, 600 Visual evoked response, 705 Visual system, 695, 705, 713

¹³³Xe elimination, 657 Xylitol, 687